



GESTAR®

The Solution!



SOCKET

Accessory / Socket / Socket Set

1/4"
Dr. Socket Accessory

Ratchet (Round Head)

Item No.	Size			KGS
296-119	6"	43 Teeth	12	1.8


Quick Release Ratchet (Round Head)

Item No.	Size			KGS
296-713	6"	43 Teeth	10	1.6


Quick Release Ratchet (Pear Head)

Item No.	Size			KGS
297-927	6"	24 Teeth	6	0.9


Quick Release Ratchet (Pear Head Dual Color)

Item No.	Size			KGS
297-829	6"	72 Teeth	8	1.2


Quick Release Ratchet (Pear Head)

Item No.	Size			KGS
297-924	6"	72 Teeth	12	1.6


Torque Wrench

Item No.	Size			KGS
297-921	14"	24 N-m (30-250 in-lb)	1	0.9

**Blow Mold Box Packing


Torque Wrench

Item No.	Size			KGS
297-922	11"	22 N-m (50-200 in-lb)	1	0.8

**Blow Mold Box Packing


Spinner

Item No.	Size			KGS
296-004	8"		12	1.4


Spinner

Item No.	Size			KGS
296-003	6"		6	0.5



Flex Handle

Item No.	Size		KGS
296-012	6"	10	1.2



2-Way L Handle

Item No.	Size		KGS
296-492	6"	20	1.4



Sliding T Bar

Item No.	Size		KGS
296-010	4-1/2"	20	1.0



Extension

Item No.	Size		KGS
296-005	2"	60	1.2
296-006	3"	40	1.2
296-008	4"	30	1.2
296-007	6"	25	1.5
296-371	9"	50	4.6
296-372	10"	40	4.0



Flex Extension

Item No.	Size		KGS
296-001	6"	20	1.4



Adapter

Item No.	Size		KGS
296-002	1/4" F x 3/8" M	70	1.4



Bit Adapter

Item No.	Size		KGS
296-124	1/4" Dr. x 1/4" Hex Bit	32	0.6



Universal Joint

Item No.	Size		KGS
296-011	1-5/16"	40	0.8

1/4"

Dr. Socket Accessory

■ 1/4" Dr. Socket – 6 Point

Item No.	Size		KGS
Metric			
296-101	4 mm	80	0.8
296-102	4.5 mm	80	0.8
296-103	5 mm	80	0.8
296-104	5.5 mm	75	0.7
296-106	6 mm	70	0.7
296-107	7 mm	70	0.7
296-108	8 mm	70	0.7
296-109	9 mm	70	1.4
296-110	10 mm	50	1.0
296-111	11 mm	40	0.8
296-112	12 mm	35	1.0
296-113	13 mm	10	0.3
296-114	14 mm	10	0.3

SAE

296-021	5/32"	80	0.8
296-022	3/16"	80	0.8
296-023	7/32"	80	0.8
296-024	1/4"	70	0.7
296-025	9/32"	70	0.7
296-026	5/16"	70	0.7
296-027	11/32"	70	0.7
296-028	3/8"	50	0.8
296-029	7/16"	40	0.8
296-030	1/2"	35	1.0
296-031	9/16"	10	0.3


1/4"
Dr. Socket

► 6 Point Socket

Chamfered corners eliminate stress concentration in the corners, increasing durability of sockets. Special radius-corner-design 6 point faces ensure the sockets grip securely, preventing any further damage of the fasteners.

■ 1/4" Dr. Socket – 12 Point



Item No.	Size		KGS
Metric			
296-601	4 mm	80	0.8
296-602	5 mm	80	0.8
296-603	6 mm	70	0.7
296-604	7 mm	70	0.7
296-605	8 mm	70	0.9
296-606	9 mm	70	1.1
296-607	10 mm	50	1.0
296-608	11 mm	40	1.0
296-609	12 mm	35	1.0
296-612	13 mm	30	0.8
296-614	14 mm	25	0.9

SAE

298-061	5/32"	80	1.6
298-062	3/16"	80	0.8
298-063	7/32"	80	0.8
298-064	1/4"	70	0.7
298-065	9/32"	70	0.7
298-066	5/16"	70	0.7
298-067	11/32"	70	1.4
298-068	3/8"	10	0.2
298-069	7/16"	40	0.8
298-070	1/2"	35	1.0
298-071	9/16"	25	0.9

1/4"

Dr. Socket



► **12 Point Socket**

12 Point design makes it easier to locate the socket onto fastener. **GESTAR®** special designed sockets apply drive on the sides instead of corners, allowing high torque to be applied without damaging the corner of the fasteners.

■ 1/4" Dr. Deep Socket – 6 Point


Item No.	Size		KGS
----------	------	---	-----

Metric

296-132	4 mm	50	1.0
296-133	4.5 mm	50	1.0
296-134	5 mm	50	1.0
296-135	5.5 mm	50	1.0
296-136	6 mm	50	1.0
296-137	7 mm	50	1.0
296-138	8 mm	50	1.0
296-139	9 mm	36	1.4
296-140	10 mm	30	1.2
296-141	11 mm	30	2.1
296-142	12 mm	20	1.4
296-143	13 mm	18	1.2
296-144	14 mm	15	1.0

SAE

296-044	5/32"	50	1.0
296-045	3/16"	50	1.0
296-046	7/32"	50	1.0
296-047	1/4"	50	1.0
296-048	9/32"	50	1.0
296-049	5/16"	50	1.0
296-050	11/32"	36	1.4
296-051	3/8"	30	1.2
296-052	7/16"	30	1.5
296-053	1/2"	18	0.9
296-054	9/16"	15	1.0

1/4"
Dr. Deep Socket

■ 1/4" Dr. Deep Socket – 12 Point



Item No.	Size		KGS
Metric			
298-332	4 mm	42	0.8
298-333	5 mm	42	0.8
298-334	6 mm	50	1.2
298-335	7 mm	50	1.5
298-336	8 mm	50	1.2
298-337	9 mm	36	1.2
298-338	10 mm	30	1.2
298-339	11 mm	30	1.5
298-340	12 mm	20	1.1
298-341	13 mm	18	1.0
298-342	14 mm	15	1.0

SAE			
298-032	3/16"	50	1.0
298-033	7/32"	50	1.1
298-034	1/4"	50	1.2
298-035	9/32"	50	1.2
298-036	5/16"	50	1.2
298-037	11/32"	36	1.1
298-038	3/8"	30	1.2
298-039	7/16"	30	1.4
298-040	1/2"	20	1.1
298-041	9/16"	18	1.2

1/4"

Dr. Deep Socket


■ 1/4" Dr. E-Socket (For TORX® Head Screws)

Item No.	Size		KGS
293-701	E4	25	0.2
293-702	E5	25	0.2
293-703	E6	25	0.2
293-704	E7	70	0.8
293-705	E8	70	0.8
293-707	E10	50	0.9


■ 1/4" Dr. Bit Socket – Phillips

Item No.	Size	Length		KGS
299-400	PH0	37 mm	70	1.4
299-401	PH1	37 mm	70	1.4
299-402	PH2	37 mm	70	1.4
299-403	PH3	37 mm	70	1.4


■ 1/4" Dr. Bit Socket – Slotted

Item No.	Size	Length		KGS
299-411	4.0 mm	37 mm	70	1.4
299-414	5.5 mm	37 mm	70	1.4
299-416	6.5 mm	37 mm	70	1.4
299-417	7.0 mm	37 mm	70	1.4
299-418	8.0 mm	37 mm	70	1.4


■ 1/4" Dr. Bit Socket – Hex

Item No.	Size	Length		KGS
299-423	3.0 mm	37 mm	12	0.2
299-424	4.0 mm	37 mm	12	0.2
299-425	5.0 mm	37 mm	12	0.2
299-422	5.5 mm	37 mm	12	0.2
299-426	6.0 mm	37 mm	12	0.2
299-427	7.0 mm	37 mm	12	0.2
299-428	8.0 mm	37 mm	12	0.2

1/4"
Dr. Bit Socket



■ 1/4" Dr. Bit Socket – TORX®

Item No.	Size	Length		KGS
299-454	T8	37 mm	70	1.4
299-461	T9	37 mm	70	1.4
299-455	T10	37 mm	70	1.4
299-456	T15	37 mm	70	1.4
299-457	T20	37 mm	70	1.4
299-458	T25	37 mm	70	1.4
299-459	T27	37 mm	70	1.4
299-460	T30	37 mm	70	1.4
299-462	T40	37 mm	70	1.4



■ 1/4" Dr. Bit Socket – TORX® Tamperproof

Item No.	Size	Length		KGS
299-473	T8	37 mm	70	1.4
299-474	T9	37 mm	70	1.4
299-475	T10	37 mm	70	1.4
299-476	T15	37 mm	70	1.4
299-477	T20	37 mm	70	1.4
299-478	T25	37 mm	70	1.4
299-479	T27	37 mm	70	1.4
299-480	T30	37 mm	70	1.4
299-482	T40	37 mm	70	1.4




■ 1/4" Dr. Bit Socket – POZIDRIV®

Item No.	Size	Length		KGS
299-405	PZ0	37 mm	70	1.4
299-406	PZ1	37 mm	70	1.4
299-407	PZ2	37 mm	70	1.4
299-408	PZ3	37 mm	70	1.4

1/4"

Dr. Bit Socket



Plastic Hanger

■ 1/4" Dr. E Socket Set – 6 Pc.

Item No.		KGS
287-202	6	0.7

- 6 E Sockets : E4, E5, E6, E7, E8, E10



Clip Rail

■ 1/4" Dr. Bit Socket Set – Hex 7 Pc. Clip Rail

Item No.		KGS
287-203	3	0.6

- 6 Bit Sockets : Hex 3, 4, 5, 6, 7, 8 mm
- Slidind T Bar : 4-1/2"



Clip Rail

■ 1/4" Dr. Bit Socket Set – TORX® 8 Pc. Clip Rail

Item No.		KGS
287-204	3	0.6

- 7 Bit Sockets : TORX® Tamperproof T10, T15, T20, T25, T27, T30, T40
- Slidind T Bar : 4-1/2"



Plastic Hanger

■ 1/4" Dr. Socket Set – 10 Pc.

Item No.		KGS
299-058	SAE, 12 Point	1

- 10 Sockets : 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"



Plastic Hanger

■ 1/4" Dr. Deep Socket Set – 10 Pc.

Item No.		KGS
287-201	Metric, 12 Point	1

- 10 Deep Sockets : 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm

Item No.		KGS
287-022	SAE, 12 Point	1

- 10 Deep Sockets : 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"



Blow Mold Box

■ 1/4" Dr. Socket Set – 16 Pc.

Item No.			KGS
299-081	SAE, 6 Point	1	0.8
299-042	SAE, 12 Point	1	0.8

- 10 Sockets : 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- Ratchet : Round Head 6"
- 2 Extensions : 3" & 6"
- Sliding T Bar : 4-1/2"
- Flex Handle : 6"
- Universal Joint



Blow Mold Box

■ 1/4" Dr. Socket Set – 16 Pc.

Item No.			KGS
299-007	SAE, 6 Point	1	0.8
287-021	SAE, 12 Point	1	0.8

- 10 Sockets : 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- Ratchet : Quick Release Round Head 6"
- 2 Extensions : 3" & 6"
- Sliding T Bar : 4-1/2"
- Flex Handle : 6"
- Universal Joint



Blow Mold Box

■ 1/4" Dr. Socket Set – 17 Pc.

Item No.			KGS
299-080	Metric, 6 Point	1	0.8

- 11 Sockets : 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- Ratchet : Round Head 6"
- 2 Extensions : 3" & 6"
- Sliding T Bar : 4-1/2"
- Flex Handle : 6"
- Universal Joint



Metal Box

■ 1/4" Dr. Socket Set – 24 Pc.

Item No.			KGS
299-024	Metric & SAE, 6 Point	1	0.7
287-024	Metric & SAE, 12 Point	1	0.9

- 10 Sockets : 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 9 Sockets : 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- Quick Release Ratchet : Pear Head 6"
- Flex Handle : 6"
- 2 Extensions : 2" & 6"
- Universal Joint

1/4"

Dr. Socket Set

3/8"
Dr. Socket Accessory

Ratchet (Round Head)

Item No.	Size			KGS
296-203	8" 41 Teeth		6	2.2


Quick Release Ratchet (Round Head)

Item No.	Size			KGS
296-714	8" 41 Teeth		6	2.2


Quick Release Ratchet (Pear Head)

Item No.	Size			KGS
297-931	8" 24 Teeth		6	2.1


Quick Release Ratchet (Pear Head Dual Color)

Item No.	Size			KGS
297-832	8" 72 Teeth		6	1.9


Quick Release Ratchet (Pear Head)

Item No.	Size			KGS
297-934	8" 72 Teeth		6	2.0


Torque Wrench

Item No.	Size			KGS
297-941	14" 28 N-m (250 in-lb)		1	1.0
297-942	15" 108 N-m (80 ft-lb)		1	1.2

**Blow Mold Box Packing


Torque Wrench

Item No.	Size			KGS
297-944	11" 22 N-m (200 in-lb)		1	0.8
297-943	14" 108 N-m (80 ft-lb)		1	1.1

**Blow Mold Box Packing


Flex Handle

Item No.	Size			KGS
296-213	8"		12	3.4
296-227	10"		10	13.0



■ 2-Way L Handle

Item No.	Size		KGS
296-218	8"	15	3.1



■ Sliding T Bar

Item No.	Size		KGS
296-202	8"	10	1.8



■ Quick Release Sliding T Bar

Item No.	Size		KGS
297-308	8"	10	2.0



■ Extension

Item No.	Size		KGS
296-206	3"	20	2.0
296-210	5"	15	2.1
296-207	6"	15	2.2
296-209	8"	12	2.4
296-208	10"	10	2.4



■ Adapter

Item No.	Size		KGS
296-214	3/8" F x 1/4" M	60	1.8
296-215	3/8" F x 1/2" M	30	1.5



■ Bit Adapter

Item No.	Size		KGS
296-125	3/8" Dr. x 1/4" Hex Bit	32	1.9
296-225	3/8" Dr. x 10mm Hex Bit	30	0.9



■ 3-Function Adapter

Item No.	Size		KGS
297-314	3/8" F x 1/4" M	20	0.6
297-318	3/8" F x 1/2" M	20	1.0



■ Universal Joint

Item No.	Size		KGS
296-211	2"	20	1.4

3/8"

Dr. Socket Accessory

■ 3/8" Dr. Socket – 6 Point


Item No.	Size		KGS
Metric			
296-301	6 mm	10	0.2
296-302	7 mm	10	0.2
296-303	8 mm	10	0.2
296-304	9 mm	10	0.2
296-305	10 mm	10	0.3
296-306	11 mm	10	0.2
296-307	12 mm	10	0.2
296-308	13 mm	10	0.2
296-309	14 mm	10	0.4
296-310	15 mm	10	0.5
296-311	16 mm	10	0.5
296-312	17 mm	10	0.6
296-313	18 mm	10	0.7
296-314	19 mm	10	0.7
296-315	20 mm	10	0.8
296-316	21 mm	10	0.8
296-317	22 mm	10	0.8
296-318	23 mm	10	0.8
296-319	24 mm	10	0.8

SAE

298-151	1/4"	10	0.2
298-152	5/16"	10	0.2
298-153	11/32"	10	0.2
298-154	3/8"	10	0.2
298-155	7/16"	10	0.2
298-156	15/32"	10	0.2
298-157	1/2"	10	0.3
298-158	9/16"	10	0.4
298-159	19/32"	10	0.5
298-160	5/8"	10	0.5
298-161	11/16"	10	0.6
298-162	3/4"	10	0.7
298-163	25/32"	10	0.8
298-164	13/16"	10	0.8
298-165	7/8"	10	0.8
298-166	15/16"	10	0.8

3/8"
Dr. Socket

■ 3/8" Dr. Socket – 12 Point



Item No.	Size		KGS
Metric			
296-341	6 mm	10	0.2
296-342	7 mm	10	0.2
296-343	8 mm	10	0.2
296-344	9 mm	10	0.3
296-345	10 mm	10	0.2
296-346	11 mm	10	0.2
296-347	12 mm	10	0.2
296-348	13 mm	10	0.2
296-349	14 mm	10	0.4
296-350	15 mm	10	0.5
296-351	16 mm	10	0.5
296-352	17 mm	10	0.6
296-353	18 mm	10	0.7
296-354	19 mm	10	0.7
296-355	20 mm	10	0.8
296-356	21 mm	10	0.8
296-357	22 mm	10	0.9
296-359	24 mm	10	0.9

SAE			
296-259	1/4"	10	0.2
296-260	5/16"	10	0.2
296-261	11/32"	10	0.2
296-262	3/8"	10	0.2
296-263	7/16"	10	0.2
296-264	1/2"	10	0.3
296-265	9/16"	10	0.4
296-266	15/32"	10	0.4
296-267	19/32"	10	0.4
296-268	5/8"	10	0.5
296-269	11/16"	10	0.6
296-270	3/4"	10	0.7
296-271	25/32"	10	0.9
296-272	13/16"	10	0.9
296-273	7/8"	10	1.1
296-274	15/16"	10	1.1

3/8"

Dr. Socket


■ 3/8" Dr. Deep Socket – 6 Point

Item No.	Size		KGS
----------	------	---	-----

Metric

296-361	6 mm	20	1.1
296-362	7 mm	20	1.1
296-320	8 mm	20	1.2
296-321	9 mm	20	1.2
296-322	10 mm	20	1.2
296-323	11 mm	15	0.9
296-324	12 mm	15	1.0
296-325	13 mm	15	0.9
296-326	14 mm	12	0.7
296-327	15 mm	12	1.2
296-328	16 mm	12	1.2
296-329	17 mm	15	1.8
296-330	18 mm	15	2.2
296-331	19 mm	15	2.2
296-332	21 mm	12	1.9

SAE

298-983	1/4"	20	0.8
298-984	5/16"	20	0.8
298-985	3/8"	20	0.8
298-986	7/16"	15	0.9
298-987	1/2"	15	1.0
298-988	9/16"	12	0.8
298-989	5/8"	12	1.2
298-990	11/16"	15	1.8
298-991	3/4"	15	2.2
298-992	13/16"	12	2.0
298-993	7/8"	12	2.2
298-994	15/16"	12	2.3

3/8"
Dr. Deep Socket

■ 3/8" Dr. Deep Socket – 12 Point



Item No.	Size		KGS
Metric			
296-520	8 mm	20	1.2
296-521	9 mm	20	1.2
296-522	10 mm	20	1.2
296-523	11 mm	15	0.9
296-524	12 mm	15	1.0
296-525	13 mm	15	1.0
296-526	14 mm	12	1.0
296-527	15 mm	12	1.2
296-528	16 mm	12	1.2
296-529	17 mm	15	1.8
296-530	18 mm	15	2.0
296-531	19 mm	15	2.0
296-532	21 mm	12	1.9
SAE			
298-683	1/4"	20	1.1
298-684	5/16"	20	1.1
298-685	3/8"	20	1.1
298-686	7/16"	15	0.8
298-687	1/2"	15	1.1
298-688	9/16"	12	1.0
298-689	5/8"	12	1.1
298-690	11/16"	15	1.8
298-691	3/4"	15	2.1
298-692	13/16"	12	1.8
298-693	7/8"	12	2.2

3/8"

Dr. Deep Socket



■ 3/8" Dr. Spark Plug Socket

Item No.	Size		KGS
296-380	16 mm (5/8")	12	1.2
296-381	21 mm (13/16")	12	1.6



■ 3/8" Dr. Spark Plug Socket – Magnetic

Item No.	Size		KGS
296-382	16 mm (5/8")	12	1.2
296-384	18 mm (23/32")	12	1.8
296-383	21 mm (13/16")	12	1.9



Magnetic



■ 3/8" Dr. E-Socket (For TORX® Head Screws)

Item No.	Size		KGS
299-731	E6	10	0.2
299-732	E7	10	0.2
299-733	E8	10	0.2
299-735	E10	10	0.2
299-736	E11	10	0.2
299-737	E12	10	0.2
299-739	E14	10	0.4
299-741	E16	10	0.5
299-743	E18	10	0.7



➤ E-TORX® (Star) Socket

For open Torx® head fasteners. Greater facial contact improves torque transmission. Chamfered corners release stress and increase durability.



■ 3/8" Dr. Bit Socket – Phillips

Item No.	Size	Length		KGS
296-335	PH1	50 mm	35	1.4
296-336	PH2	50 mm	35	1.4
296-337	PH3	50 mm	35	1.2



■ 3/8" Dr. Bit Socket – Slotted

Item No.	Size	Length		KGS
299-151	4.0 mm	50 mm	35	1.4
299-158	5.0 mm	50 mm	35	1.4
299-153	5.5 mm	50 mm	35	1.4
299-159	6.0 mm	50 mm	35	1.4
299-154	6.5 mm	50 mm	35	1.4
299-155	7.0 mm	50 mm	35	1.4
299-156	8.0 mm	50 mm	35	1.7
299-157	10.0 mm	50 mm	35	2.1



■ 3/8" Dr. Bit Socket – Hex

Item No.	Size	Length		KGS
Metric				
297-965	3 mm	50 mm	35	1.1
297-971	4 mm	50 mm	35	1.1
297-972	5 mm	50 mm	35	1.3
297-973	6 mm	50 mm	35	1.3
297-974	7 mm	50 mm	35	1.7
297-975	8 mm	50 mm	35	1.7
297-976	10 mm	50 mm	35	1.8
297-978	12 mm	50 mm	35	1.9
297-979	14 mm	50 mm	35	2.1

SAE

296-387	1/8"	50 mm	35	1.4
296-388	5/32"	50 mm	35	1.4
296-389	3/16"	50 mm	35	1.4
296-390	7/32"	50 mm	35	1.5
296-391	1/4"	50 mm	35	1.7
296-392	5/16"	50 mm	35	1.8

3/8"

Dr. Bit Socket


■ 3/8" Dr. Bit Socket – TORX®

Item No.	Size	Length		KGS
297-140	T-10	50 mm	35	1.4
297-141	T-15	50 mm	35	1.4
297-142	T-20	50 mm	35	1.4
297-143	T-25	50 mm	35	1.4
297-144	T-27	50 mm	35	1.4
297-145	T-30	50 mm	35	1.7
297-146	T-40	50 mm	35	1.7
297-147	T-45	50 mm	35	1.7
297-148	T-50	50 mm	35	1.7


■ 3/8" Dr. Bit Socket – TORX® Tamperproof

Item No.	Size	Length		KGS
297-510	T-10	50 mm	35	1.4
297-515	T-15	50 mm	35	1.4
297-520	T-20	50 mm	35	1.4
297-525	T-25	50 mm	35	1.4
297-527	T-27	50 mm	35	1.4
297-530	T-30	50 mm	35	1.7
297-540	T-40	50 mm	35	1.7
297-545	T-45	50 mm	35	1.7
297-550	T-50	50 mm	35	1.7
297-555	T-55	50 mm	35	1.6


■ 3/8" Dr. Bit Socket – POZIDRIV®

Item No.	Size	Length		KGS
299-506	PZ1	50 mm	35	1.4
299-507	PZ2	50 mm	35	1.4
299-508	PZ3	50 mm	35	1.4

3/8"
Dr. Bit Socket



Plastic Hanger

■ 3/8" Dr. Socket Set – 11 Pc.

Item No.			KGS
287-306	Metric, 6 Point	1	0.3
● 11 Sockets : 8, 10, 11, 12, 13, 14, 15, 17, 19, 21, 22 mm			
287-031	SAE, 12 Point	1	0.6
● 11 Sockets : 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"			



Plastic Hanger

■ 3/8" Dr. E Socket Set


Item No.			KGS
287-305		1	0.2
● 7 E Sockets : E6, E8, E10, E12, E14, E16, E18			
287-302		1	0.3
● 8 E Sockets : E7, E8, E10, E11, E12, E14, E16, E18			



Plastic Hanger

■ 3/8" Dr. Deep Socket Set

Item No.			KGS
287-301	Metric, 6 Point	1	1.1
● 10 Deep Sockets : 8, 10, 11, 12, 13, 14, 15, 17, 19, 21 mm			
287-032	SAE, 12 Point	1	1.1
● 11 Deep Sockets : 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"			



Plastic Hanger

■ 3/8" Dr. Bit Socket Set – Hex

Item No.			KGS
287-310	SAE	1	0.2
● 6 Bit Sockets : Hex 1/8", 5/32", 3/16", 7/32", 1/4", 5/16"			
287-309	Metric	1	0.3
● 7 Bit Sockets : Hex 3, 4, 5, 6, 7, 8, 10 mm			
287-304	Metric	1	0.4
● 8 Bit Sockets : Hex 4, 5, 6, 7, 8, 10, 12, 14 mm			



Plastic Hanger

■ 3/8" Dr. Bit Socket Set – TORX® 8 Pc.

Item No.			KGS
287-303		1	0.3
● 8 Bit Sockets : TORX® T15, T20, T25, T27, T30, T40, T45, T50			

3/8"

Dr. Socket Set



Plastic Hanger



Plastic Hanger



Clip Rail



Nylon Zipper Pouch



Nylon Zipper Pouch

3/8" Dr. Bit Socket Set – Hex 10 Pc.

Item No.		KGS
287-311	1	0.5
● 9 Bit Sockets : Hex 3, 4, 5, 6, 7, 8, 10, 12, 14 mm ● Quick Release Sliding T Bar : 8"		

3/8" Dr. Bit Socket Set – TORX® 10 Pc.

Item No.		KGS
287-307	1	0.6
● 9 Bit Sockets : TORX® Tamperproof T10, T15, T20, T27, T30, T40, T45, T50, T55 ● Sliding T Bar : 8"		

3/8" Dr. Bit Socket Set – 12 Pc. Clip Rail

Item No.		KGS
287-308	1	0.8
● 10 Bit Sockets : PH1, PH2, PH3, SL4, SL5, SL6, SL8, PZ1, PZ2, PZ3 ● Sliding T Bar : 8" ● Extension : 6"		

3/8" Dr. Socket Set – 9 Pc.

Item No.		KGS
299-094	1	1.1
Metric, 6 Point ● 5 Sockets : 10, 12, 14, 17, 19 mm ● 2 Spark Plug Sockets : 16mm (5/8") & 21mm (13/16") ● Ratchet : Round Head 8" ● Extension : 6"		

3/8" Dr. T Handle Socket Set – 19 Pc.

Item No.		KGS
299-065	1	1.7
Metric, 6 Point ● 9 Sockets : 8, 10, 11, 12, 13, 14, 15, 17, 19 mm ● 5 Deep Sockets : 8, 10, 12, 13, 14 mm ● Universal Joint ● 2 Extensions : 6" & 10" ● Sliding T Bar : 8" ● Spark Plug Socket : Magnetic, 16mm (5/8")		



Blow Mold Box

■ 3/8" Dr. Socket Set – 18 Pc.

Item No.			KGS
299-018	Metric, 6 Point	1	1.8
287-100	Metric, 12 Point	1	1.8

- 11 Sockets : 6, 8, 10, 11, 12, 13, 14, 15, 17, 19, 21 mm
- Spark Plug Socket : 16 mm
- Ratchet : Quick Release 8" Round Head
- 2 Extensions : 3" & 6"
- 2-Way Handle : 8"
- 3-Function Adapter : 1/2" F x 3/8" M
- Universal Joint



Blow Mold Box

■ 3/8" Dr. Socket Set – 32 Pc.

Item No.			KGS
299-092	Metric, 6 Point	1	4.2
299-032	Metric, 12 Point	1	4.2
299-009	Metric, 6 Point Quick Release Ratchet	1	4.2
287-101	Metric, 12 Point Quick Release Ratchet	1	4.2

- 16 Sockets : 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm
- 9 Deep Sockets : 8, 10, 11, 12, 13, 14, 15, 17, 19 mm
- 2 Spark Plug Sockets : 16mm (5/8") & 21mm (13/16")
- Ratchet : Round Head 8" / Quick Release 8" (for 299-009 & 287-101)
- 2 Extensions : 3" & 10"
- 3-Function Adapter, 1/2" F x 3/8" M
- Universal Joint



Blow Mold Box

■ 3/8" Dr. Socket Set – 32 Pc.

Item No.			KGS
299-089	SAE, 6 Point	1	4.2
287-089	SAE, 12 Point Quick Release Ratchet	1	4.2

- 16 Sockets: 1/4", 5/16", 11/32", 3/8", 7/16", 15/32", 1/2", 9/16", 19/32", 5/8", 11/16", 3/4", 25/32", 13/16", 7/8", 15/16"
- 9 Deep Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
- 2 Spark Plug Sockets: 5/8" (16 mm) & 13/16" (21 mm)
- Ratchet: Round Head 8" / Quick Release 8" (for 287-089)
- 2 Extensions: 3" & 10"
- 3-Function Adapter: 1/2" F x 3/8" M
- Universal Joint

3/8"

Dr. Socket Set



Metal Box



Metal Box



Blow Mold Box

■ 1/4" & 3/8" Dr. Socket Set – 38 Pc.

Item No.			KGS
299-028	Metric & SAE, 6, 12 Point	1	4.1
● 14 Sockets - 1/4" Dr. (6-Point) : 4, 5, 6, 7, 8, 9, 10 mm & 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8" ● 15 Sockets - 3/8" Dr. (12-Point) : 10, 11, 12, 13, 14, 15, 17, 19 mm & 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4" ● 1/4" Dr. Spinner : 8" ● 3/8" Dr. Universal Joint ● 3/8" Dr. Spark Plug Sockets : 16mm (5/8") & 21mm (13/16") ● 3/8" Dr. Quick Release Ratchet : Pear Head 8" ● 3/8" Dr. Extensions : 3" & 6" ● 3/8" Dr. Flex Handle : 8" ● Adapter : 3/8" F x 1/4" M			

■ 1/4" & 3/8" Dr. Socket Set – 38 Pc.

Item No.			KGS
287-028	Metric & SAE, 12 Point	1	4.1
● 14 Sockets - 1/4" Dr. (12-Point) : 4, 5, 6, 7, 8, 9, 10 mm & 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8" ● 15 Sockets - 3/8" Dr. (12-Point) : 10, 11, 12, 13, 14, 15, 17, 19 mm & 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4" ● 1/4" Dr. Spinner : 8" ● 3/8" Dr. Universal Joint ● 3/8" Dr. Spark Plug Sockets : 16mm (5/8") & 21mm (13/16") ● 3/8" Dr. Quick Release Ratchet : Pear Head 8" ● 3/8" Dr. Extensions : 3" & 6" ● 3/8" Dr. Flex Handle : 8" ● Adapter : 3/8" F x 1/4" M			

■ 1/4" & 3/8" Dr. Socket Set – 41 Pc.

Item No.			KGS
299-091	Metric & SAE, 6 Point	1	4.2
● 16 Sockets - 3/8" Dr. : 9, 10, 11, 12, 13, 14, 15, 17, 19 mm & 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4" ● 19 Sockets - 1/4" Dr. : 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 mm & 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" ● Adapter : 3/8" F x 1/4" M ● 3/8" Dr. Spark Plug Sockets : 16mm (5/8") & 21mm (13/16") ● 3/8" Dr. Extension : 3" ● 1/4" Dr. Spinner : 8" ● 3/8" Dr. Ratchet : 8"			

3/8"

Dr. Socket Set



■ Ratchet (Round Head)

Item No.	Size			KGS
296-404	10"	45 Teeth	8	4.6



■ Quick Release Ratchet (Round Head)

Item No.	Size			KGS
296-715	10"	45 Teeth	8	5.0



■ Quick Release Ratchet (Pear Head)

Item No.	Size			KGS
297-935	10"	24 Teeth	6	3.7



■ Quick Release Ratchet (Pear Head Dual Color)

Item No.	Size			KGS
297-836	10"	72 Teeth	6	3.7



■ Quick Release Ratchet (Pear Head)

Item No.	Size			KGS
297-938	10"	72 Teeth	9	5.6



■ Quick Release Ratchet (Pear Head)

Item No.	Size			KGS
297-937	10"	24 Teeth	6	3.7



■ Torque Wrench

Item No.	Size			KGS
297-950	18"	200 N-m (150 ft-lb)	1	1.8

**Blow Mold Box Packing



■ Torque Wrench

Item No.	Size			KGS
297-951	25"	340 N-m (250 ft-lb)	1	1.5

**Blow Mold Box Packing



■ Torque Wrench

Item No.	Size			KGS
297-952	20"	40-200 Nt-m	1	1.7
297-953	23"	60-300 Nt-m	1	1.9
297-954	27"	80-400 Nt-m	1	2.7

**Blow Mold Box Packing

1/2"

Dr. Socket Accessory

1/2"
Dr. Socket Accessory

Flex Handle

Item No.	Size		KGS
296-405	10"	6	2.9
296-415	15"	6	4.5
296-413	17"	6	5.1
296-409	24"	3	4.0


L Handle

Item No.	Size		KGS
296-493	8"	9	3.5


2-Way L Handle

Item No.	Size		KGS
296-494	10"	12	5.4
296-495	12"	12	5.8


Sliding T Bar

Item No.	Size		KGS
296-440	10"	6	2.1
296-448	12"	12	4.8


Quick Release Sliding T Bar

Item No.	Size		KGS
296-449	10"	6	2.1


Extension

Item No.	Size		KGS
296-406	3"	14	0.9
296-407	5"	10	2.0
296-408	10"	10	4.0


Wobble Extension

Item No.	Size		KGS
297-003	3"	14	0.9
297-005	5"	10	2.0
297-010	10"	10	4.0



■ Quick Release Extension

Item No.	Size		KGS
296-516	3"	12	1.8
296-517	5"	6	1.4
296-518	10"	8	3.2



■ Adapter

Item No.	Size		KGS
296-414	1/2" F x 3/8" M	20	1.0
298-558	1/2" F x 3/4" M	10	1.3



■ Bit Adapter

Item No.	Size		KGS
296-126	1/2" Dr. x 5/16" Hex Bit	20	0.9
296-226	1/2" Dr. x 10 mm Hex Bit	20	0.9



■ 3-Function Adapter

Item No.	Size		KGS
297-315	1/2" F x 3/8" M	20	1.4
297-319	1/2" F x 1/2" M	20	1.4



■ Universal Joint

Item No.	Size		KGS
296-411	2-7/8"	10	1.4

1/2"

Dr. Socket Accessory

■ 1/2" Dr. Socket – 6 Point

Item No.	Size		KGS
Metric			
298-728	6 mm	10	0.4
298-729	7 mm	10	0.4
298-730	8 mm	10	0.5
298-731	9 mm	10	0.5
298-732	10 mm	10	0.5
298-733	11 mm	10	0.5
298-734	12 mm	10	0.5
298-735	13 mm	10	0.5
298-736	14 mm	10	0.6
298-737	15 mm	10	0.6
298-738	16 mm	10	0.6
298-739	17 mm	10	0.7
298-740	18 mm	10	0.8
298-741	19 mm	10	0.7
298-742	20 mm	10	0.9
298-743	21 mm	10	0.9
298-744	22 mm	10	0.9
298-745	23 mm	10	1.3
298-746	24 mm	10	1.3
298-747	25 mm	10	1.5
298-748	26 mm	10	1.5
298-749	27 mm	10	1.5
298-750	28 mm	10	1.5
298-751	29 mm	10	1.9
298-752	30 mm	10	1.9
298-753	31 mm	10	2.2
298-754	32 mm	10	2.0
298-755	33 mm	10	2.8
298-756	34 mm	10	2.7
298-757	35 mm	10	3.1
298-758	36 mm	6	2.2


1/2"
Dr. Socket

■ 1/2" Dr. Socket – 6 Point



Item No.	Size		KGS
SAE			
296-550	1/4"	10	0.4
296-551	5/16"	10	0.5
296-552	3/8"	10	0.5
296-553	7/16"	10	0.5
296-554	15/32"	10	0.5
296-555	1/2"	10	0.5
296-556	9/16"	10	0.5
296-557	19/32"	10	0.6
296-558	5/8"	10	0.5
296-559	11/16"	10	0.7
296-560	23/32"	10	0.9
296-561	3/4"	10	0.9
296-562	25/32"	10	1.0
296-563	13/16"	10	1.0
296-564	7/8"	10	1.0
296-565	15/16"	10	1.2
296-566	1"	10	1.3
296-567	1-1/16"	10	1.4
296-568	1-1/8"	10	1.7
296-569	1-3/16"	10	1.9
296-570	1-1/4"	10	2.0

1/2"

Dr. Socket

1/2" Dr. Socket – 12 Point


Item No.	Size		KGS
Metric			
298-780	8 mm	10	0.5
298-781	9 mm	10	0.5
298-782	10 mm	10	0.5
298-783	11 mm	10	0.5
298-784	12 mm	10	0.5
298-785	13 mm	10	0.5
298-786	14 mm	10	0.6
298-787	15 mm	10	0.6
298-788	16 mm	10	0.6
298-789	17 mm	10	0.7
298-790	18 mm	10	0.8
298-791	19 mm	10	0.7
298-792	20 mm	10	0.9
298-793	21 mm	10	0.9
298-794	22 mm	10	0.9
298-795	23 mm	10	1.3
298-796	24 mm	10	1.3
298-797	25 mm	10	1.5
298-798	26 mm	10	1.5
298-799	27 mm	10	1.5
298-800	28 mm	10	1.5
298-801	29 mm	10	1.9
298-802	30 mm	10	1.9
298-804	31 mm	10	2.0
298-803	32 mm	10	2.0

SAE

298-809	1/4"	10	0.5
298-810	5/16"	10	0.5
298-811	3/8"	10	0.5
298-812	7/16"	10	0.5
298-813	1/2"	10	0.5
298-814	9/16"	10	0.6
298-815	5/8"	10	0.6
298-816	11/16"	10	0.7
298-817	3/4"	10	0.9
298-818	13/16"	10	1.0
298-819	7/8"	10	1.0
298-820	15/16"	10	1.2
298-821	1"	10	1.3
298-822	1-1/16"	10	1.4
298-823	1-1/8"	10	1.7
298-824	1-3/16"	10	1.9
298-825	1-1/4"	10	2.0

1/2"
Dr. Socket

■ 1/2" Dr. Deep Socket – 6 Point



Item No.	Size		KGS
Metric			
296-416	8 mm	12	1.8
296-417	9 mm	12	1.8
296-418	10 mm	12	1.8
296-419	11 mm	12	1.8
296-420	12 mm	12	1.8
296-421	13 mm	12	1.8
296-422	14 mm	12	1.8
296-423	15 mm	12	1.9
296-424	16 mm	12	1.9
296-425	17 mm	15	3.0
296-426	18 mm	12	2.4
296-427	19 mm	12	3.0
296-428	20 mm	12	3.0
296-429	21 mm	12	3.0
296-430	22 mm	6	1.5
296-431	23 mm	10	3.0
296-432	24 mm	10	3.0
296-433	25 mm	6	2.1
296-434	26 mm	6	2.1
296-435	27 mm	6	2.1
296-436	28 mm	6	2.2
296-437	29 mm	6	2.3
296-438	30 mm	6	2.2
296-439	32 mm	6	2.4
SAE			
298-479	3/8"	12	1.8
298-480	7/16"	12	1.8
298-481	1/2"	12	1.8
298-482	9/16"	12	1.8
298-483	5/8"	12	1.9
298-484	11/16"	15	3.0
298-485	3/4"	12	3.0
298-486	13/16"	12	3.0
298-487	7/8"	6	1.5
298-488	15/16"	10	3.0
298-489	1"	6	1.8
298-490	1-1/16"	6	2.4
298-491	1-1/8"	6	2.4
298-492	1-1/4"	6	2.4

1/2"

Dr. Deep Socket

1/2" Dr. Deep Socket – 12 Point

Item No.	Size		KGS
Metric			
296-716	8 mm	12	1.8
296-717	9 mm	12	1.8
296-718	10 mm	12	1.8
296-719	11 mm	12	1.8
296-720	12 mm	12	1.8
296-721	13 mm	12	1.8
296-722	14 mm	12	1.8
296-723	15 mm	12	1.9
296-724	16 mm	12	1.9
296-725	17 mm	15	3.0
296-726	18 mm	12	2.4
296-727	19 mm	12	3.0
296-728	20 mm	12	3.0
296-729	21 mm	12	3.0
296-730	22 mm	6	1.5
296-731	23 mm	10	3.0
296-732	24 mm	10	3.0
296-733	25 mm	6	1.8
296-734	26 mm	6	2.4
296-735	27 mm	6	2.4
296-736	28 mm	6	2.4
296-737	29 mm	6	2.3
296-738	30 mm	6	2.4
296-739	32 mm	6	2.4


1/2"
Dr. Deep Socket / Spline Socket
1/2" Dr. Spline Socket

Item No.	Size		KGS
296-621	M14	10	0.6
296-622	M15	10	0.6
296-623	M16	10	0.6
296-624	M18	10	0.8
296-625	M20	10	0.9
296-626	M22	10	0.9
296-627	M24	10	1.3
296-628	M25	10	1.5
296-629	M26	10	1.5
296-630	M28	10	1.5
296-631	M30	10	1.9





■ 1/2" Dr. Spark Plug Socket

Item No.	Size		KGS
296-586	14 mm (35/64")	12	1.0
296-580	16 mm (5/8")	12	1.0
296-585	18 mm (23/32")	15	1.9
296-581	21 mm (13/16")	12	1.6



■ 1/2" Dr. Spark Plug Socket – Magnetic

Item No.	Size		KGS
296-582	16 mm (5/8")	12	1.3
296-584	18 mm (23/32")	9	1.2
296-583	21 mm (13/16")	12	1.8



■ 1/2" Dr. E-Socket (For TORX® Head Screws)

Item No.	Size		KGS
293-502	E8	10	0.5
293-503	E10	10	0.5
293-504	E11	10	0.5
293-505	E12	10	0.5
293-507	E14	10	0.5
293-509	E16	10	0.6
293-511	E18	10	0.8
293-513	E20	10	0.9
293-515	E22	10	0.9
293-517	E24	10	1.3

1/2"

Dr. Spark Plug Socket / E-Socket



■ 1/2" Dr. Bit Socket – Phillips

Item No.	Size	Length		KGS
299-102	PH2	60 mm	12	0.8
299-103	PH3	60 mm	12	0.8
299-104	PH4	60 mm	12	0.8



■ 1/2" Dr. Bit Socket – Slotted

Item No.	Size	Length		KGS
299-268	8 mm	60 mm	12	0.7
299-270	10 mm	60 mm	12	1.1
299-272	12 mm	60 mm	12	1.2
299-274	14 mm	60 mm	12	1.4



■ 1/2" Dr. Bit Socket – Hex

Item No.	Size	Length		KGS
Metric				
296-185	3 mm	60 mm	12	0.7
296-186	4 mm	60 mm	12	0.7
296-187	5 mm	60 mm	12	0.8
296-188	6 mm	60 mm	12	0.8
296-189	7 mm	60 mm	12	0.8
296-190	8 mm	60 mm	12	0.8
296-196	9 mm	60 mm	12	0.9
296-191	10 mm	60 mm	12	1.0
296-192	12 mm	60 mm	12	1.2
296-193	14 mm	60 mm	12	1.4
296-194	17 mm	60 mm	15	2.2
296-195	19 mm	60 mm	15	2.2

SAE

299-180	5/16"	60 mm	12	0.8
299-181	3/8"	60 mm	12	1.0
299-182	7/16"	60 mm	12	1.2
299-183	1/2"	60 mm	12	1.2
299-184	9/16"	60 mm	18	2.1
299-185	5/8"	60 mm	15	2.2

1/2"

Dr. Bit Socket



■ 1/2" Dr. Bit Socket – TORX®

Item No.	Size	Length		KGS
299-215	T-20	60 mm	12	0.8
299-216	T-25	60 mm	12	0.8
299-217	T-27	60 mm	12	0.8
299-218	T-30	60 mm	12	0.8
299-219	T-40	60 mm	12	0.9
299-230	T-45	60 mm	12	0.9
299-231	T-50	60 mm	12	0.9
299-232	T-55	60 mm	12	0.9
299-233	T-60	60 mm	12	0.9



■ 1/2" Dr. Bit Socket – TORX® Tamperproof

Item No.	Size	Length		KGS
299-243	T-20	60 mm	12	0.8
299-244	T-25	60 mm	12	0.8
299-245	T-27	60 mm	12	0.8
299-246	T-30	60 mm	12	0.8
299-247	T-40	60 mm	12	0.9
299-248	T-45	60 mm	12	0.9
299-249	T-50	60 mm	12	0.9
299-250	T-55	60 mm	12	1.0
299-251	T-60	60 mm	12	1.0



■ 1/2" Dr. Bit Socket – POZIDRIV®

Item No.	Size	Length		KGS
299-107	PZ2	60 mm	12	0.8
299-108	PZ3	60 mm	12	0.8
299-109	PZ4	60 mm	12	0.8



■ 1/2" Dr. Bit Socket – Spline

Item No.	Size	Length		KGS
299-138	M5	60 mm	12	0.8
299-139	M6	60 mm	12	0.8
299-141	M8	60 mm	12	0.8
299-142	M9	60 mm	12	0.9
299-143	M10	60 mm	12	0.9
299-144	M12	60 mm	12	1.1
299-145	M14	60 mm	12	1.4
299-146	M16	60 mm	12	1.8

1/2"

Dr. Bit Socket


■ 1/2" Dr. Deep Bit Socket – Hex

Item No.	Size	Length		KGS
299-118	3 mm	80 mm	12	0.8
299-119	4 mm	80 mm	12	0.8
299-120	5 mm	80 mm	12	0.8
299-121	6 mm	80 mm	12	0.8
299-122	7 mm	80 mm	12	1.0
299-123	8 mm	80 mm	12	1.0
299-124	10 mm	80 mm	12	1.8
299-125	12 mm	80 mm	12	1.8
299-126	14 mm	80 mm	12	1.8
299-127	17 mm	80 mm	12	2.0
299-128	19 mm	80 mm	15	2.8


■ 1/2" Dr. Deep Bit Socket – TORX®

Item No.	Size	Length		KGS
299-713	T-20	80 mm	12	1.0
299-714	T-25	80 mm	12	1.0
299-715	T-27	80 mm	12	1.2
299-716	T-30	80 mm	12	1.2
299-717	T-40	80 mm	12	1.2
299-718	T-45	80 mm	12	1.2
299-719	T-50	80 mm	12	1.2
299-720	T-55	80 mm	12	1.4
299-721	T-60	80 mm	12	1.5


■ 1/2" Dr. Deep Bit Socket – TORX® Tamperproof

Item No.	Size	Length		KGS
299-163	T-20	80 mm	12	1.0
299-164	T-25	80 mm	12	1.0
299-165	T-27	80 mm	12	1.2
299-166	T-30	80 mm	12	1.2
299-167	T-40	80 mm	12	1.2
299-168	T-45	80 mm	12	1.2
299-169	T-50	80 mm	12	1.2
299-170	T-55	80 mm	12	1.4
299-171	T-60	80 mm	12	1.5

1/2"
Dr. Bit Socket



■ 1/2" Dr. Deep Bit Socket – 5 Point Star Tamperproof

Item No.	Size	Length		KGS
299-549	TS27	80 mm	12	0.8
299-550	TS30	80 mm	12	1.0
299-551	TS40	80 mm	12	1.0
299-552	TS45	80 mm	12	1.1
299-553	TS50	80 mm	12	1.1
299-554	TS55	80 mm	12	1.1
299-555	TS60	80 mm	12	1.1



■ 1/2" Dr. Deep Bit Socket – Spline

Item No.	Size	Length		KGS
299-541	M8	100 mm	24	2.1
299-542	M9	100 mm	24	2.5
299-543	M10	100 mm	24	2.5
299-544	M12	100 mm	21	2.7
299-545	M14	100 mm	15	2.5
299-546	M16	100 mm	12	2.8

1/2"

Dr. Bit Socket



Plastic Hanger



Plastic Hanger



Plastic Hanger



Plastic Hanger



Plastic Hanger



Plastic Hanger

■ 1/2" Dr. Deep Socket Set – 8 Pc.

Item No.			KGS
287-408	Metric, 6 Point	1	1.3
● 8 Deep Sockets : 13, 14, 15, 17, 19, 21, 22, 24 mm			
287-407	SAE, 6 Point	1	1.3
● 8 Deep Sockets : 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16"			

■ 1/2" Dr. E Socket Set – 9 Pc.

Item No.			KGS
287-403		1	0.7
● 9 E Sockets : E10, E11, E12, E14, E16, E18, E20, E22, E24			

■ 1/2" Dr. Bit Socket Set – Hex 10 Pc.

Item No.			KGS
287-401		1	1.2
● 9 Bit Sockets : Hex 5, 6, 7, 8, 10, 12, 14, 17, 19 mm			
● Sliding T Bar : 12"			

■ 1/2" Dr. Bit Socket Set – TORX® 10 Pc.

Item No.			KGS
287-402		1	1.2
● 9 Sockets : TORX® Tamperproof T20, T25, T27, T30, T40, T45, T50, T55, T60			
● Sliding T Bar : 12"			

■ 1/2" Dr. Socket Set – 10 Pc.

Item No.			KGS
287-406	Metric, 6 Point	1	1.0
● 9 Sockets : 8, 9, 10, 12, 13, 14, 17, 19, 21 mm			
● Sliding T Bar : 12"			

■ 1/2" Dr. Socket Set – 10 Pc.

Item No.			KGS
287-404	Metric, 6 Point	1	1.2
● 9 Sockets : 10, 11, 12, 13, 14, 17, 19, 22, 24 mm			
● Quick Release Ratchet : Pear Head Dual Color			

1/2"

Dr. Socket Set



Blow Mold Box



Blow Mold Box



Blow Mold Box



Blow Mold Box



Clip Rail



Plastic Hanger

1/2" Dr. Socket Set – 10 Pc.

Item No.			KGS
299-010	Metric, 6 Point	1	1.3
299-030	Metric, 12 Point	1	1.3

- 8 Sockets : 8, 9, 10, 12, 14, 17, 19, 24 mm
- 2-Way L Handle : 10"
- 3-Function Adapter : 1/2" F x 1/2" M

1/2" Dr. Socket Set – 11 Pc.

Item No.			KGS
299-090	Metric, 6 Point	1	0.9

- 11 Sockets : 10, 11, 12, 13, 14, 15, 17, 19, 21, 24, 27 mm

1/2" Dr. Socket Set – 12 Pc.

Item No.			KGS
299-068	Metric, 6 Point	1	1.3

- 10 Sockets : 8, 10, 11, 12, 13, 14, 15, 17, 19, 21 mm
- 2-Way L Handle : 10"
- 3-Function Adapter : 1/2" F x 1/2" M

1/2" Dr. Deep Socket Set – 14 Pc.

Item No.			KGS
287-010	Metric, 6 Point	1	3.0

- 13 Sockets : 8, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24 mm
- Quick Release Ratchet : Pear Head 10"

1/2" Dr. Socket Set – 15 Pc. Clip Rail

Item No.			KGS
287-405	Metric, 6 Point	1	1.5

- 14 Sockets : 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm
- Sliding T Bar : 12"

1/2" Dr. Socket Set – 15 Pc.

Item No.			KGS
287-086	SAE, 6 Point	1	1.8

- 15 Sockets : 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/8", 1-3/16", 1-1/4"

1/2"

Dr. Socket Set



Metal Box



Metal Box



Blow Mold Box



Metal Box



Metal Box

■ 1/2" Dr. Socket Set – 16 Pc.

Item No.			KGS
299-097	Metric, 6 Point	1	3.5
287-008	Metric, 12 Point	1	3.5

- 13 Sockets : 8, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24 mm
- Quick Release Ratchet : Pear Head 10"
- Extension : 5"
- Flex Handle : 15"

■ 1/2" Dr. E Socket & TORX® Bit Socket Set – 16 Pc.

Item No.			KGS
287-441		1	1.8

- 9 E-Sockets : E10, E11, E12, E14, E16, E18, E20, E22, E24
- 7 TORX® Bit Sockets : T20, T30, T40, T45, T50, T55, T60

■ 1/2" Dr. Socket Set – 17 Pc.

Item No.			KGS
299-057	Metric, 6 Point	1	2.7
299-047	Metric, 12 Point	1	2.7

- 13 Sockets : 8, 10, 11, 12, 13, 14, 15, 17, 19, 20, 21, 22, 24 mm
- Quick Release Ratchet : Pear Head 10"
- 2 Extensions : 5" & 10"
- 3-Function Adapter : 1/2" F x 1/2" M

■ 1/2" Dr. E Socket & TORX® Bit Socket Set – 18 Pc.

Item No.			KGS
287-030		1	1.9

- 9 E - Sockets : E10, E11, E12, E14, E16, E18, E20, E22, E24
- 9 TORX® Bit Sockets : T20, T25, T27, T30, T40, T45, T50, T55, T60

■ 1/2" Dr. Socket Set – 18 Pc.

Item No.			KGS
299-096	Metric, 6 Point	1	3.5
287-442	Metric, 12 Point	1	3.4

- 13 Sockets : 8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24, 27 mm
- Quick Release Ratchet : Round Head 10"
- Universal Joint
- Spark Plug Socket : 21mm (13/16")
- Extension : 5"
- Sliding T Bar : 10"



Metal Box



Blow Mold Box



Blow Mold Box



Blow Mold Box

■ 1/2" Dr. Socket Set – 25 Pc.

Item No.			KGS
299-095	Metric, 6 Point	1	5.9
299-082	Metric, 12 Point	1	5.9

- 18 Sockets : 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
- Quick Release Ratchet : Pear Head 10"
- Spark Plug Socket : 21mm (13/16")
- Universal Joint
- Sliding T Bar : 10"
- Flex Handle : 17"
- 2 Extensions : 5" & 10"

■ 1/2" Dr. Socket Set – 25 Pc.

Item No.			KGS
299-085	Metric, 6 Point	1	4.0
287-007	Metric, 12 Point	1	4.2

- 20 Sockets : 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
- Sliding T Bar : 10"
- Ratchet : Round Head 10"
- 2 Extensions : 5" & 10"
- Universal Joint

■ 1/2" Dr. Socket Set – 25 Pc.

Item No.			KGS
299-071	Metric, 6 Point	1	4.0
299-031	Metric, 12 Point	1	4.0

- 20 Sockets : 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
- Sliding T Bar : 10"
- Quick Release Ratchet : Pear Head 10"
- 2 Extensions : 5" & 10"
- Universal Joint

■ 1/2" Dr. Socket Set – 32 Pc.

Item No.			KGS
299-023	Metric, 6 & 12 Point	1	3.5

- 19 Sockets - 6 Point : 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm
- 6 Sockets - 12 Point : 10, 12, 14, 15, 17, 19 mm
- 2 Spark Plug Sockets : 16mm (5/8") & 21mm (13/16")
- Quick Release Ratchet : Pear Head 10"
- 2 Extensions : 5" & 10"
- 3-Function Adapter : 1/2" F x 1/2" M
- Universal Joint

1/2"

Dr. Socket Set



Blow Mold Box

■ 1/2" Dr. Socket Set – 32 Pc.

Item No.			KGS
287-009	Metric, 6 & 12 Point	1	3.5
● 19 Sockets - 6 Point : 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm ● 6 Sockets - 12 Point : 10, 12, 14, 15, 17, 19 mm ● 2 Spark Plug Sockets : 16mm (5/8") & 21mm (13/16") ● Quick Release Ratchet : Round Head 10" ● 2 Extensions : 5" & 10" ● 3-Function Adapter : 1/2" F x 1/2" M ● Universal Joint			



Blow Mold Box

■ 1/2" Dr. Socket Set – 32 Pc.

Item No.			KGS
299-093	Metric, 6 & 12 Point	1	3.5
● 19 Sockets - 6 Point : 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm ● 6 Sockets - 12 Point : 10, 12, 14, 15, 17, 19 mm ● 2 Spark Plug Sockets : 16mm (5/8") & 21mm (13/16") ● Ratchet : Round Head 10" ● 2 Extensions : 5" & 10" ● 3-Function Adapter : 1/2" F x 1/2" M ● Universal Joint			



Blow Mold Box

■ 1/2" Dr. Socket Set – 32 Pc.

Item No.			KGS
287-002	SAE, 6 & 12 Point	1	3.5
● 18 Sockets - 6 Point : 5/16", 3/8", 7/16", 15/32", 1/2", 9/16", 19/32", 5/8", 11/16", 3/4", 25/32", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4" ● 7 Sockets - 12 Point : 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4" ● 2 Spark Plug Sockets : 5/8" (16mm) & 13/16" (21mm) ● Quick Release Ratchet : Pear Head 10" ● 2 Extensions : 5" & 10" ● 3-Function Adapter : 1/2" F x 1/2" M ● 2-7/8" Universal Joint			

1/2"

Dr. Socket Set



Blow Mold Box

1/2" Dr. Socket Set – 32 Pc.

Item No.			KGS
299-001	SAE, 6 & 12 Point	1	3.5
● 18 Sockets - 6 Point : 5/16", 3/8", 7/16", 15/32", 1/2", 9/16", 19/32", 5/8", 11/16", 3/4", 25/32", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4" ● 7 Sockets - 12 Point : 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4" ● 2 Spark Plug Sockets : 5/8" (16mm) & 13/16" (21mm) ● Quick Release Ratchet : Round Head 10" ● 2 Extensions : 5" & 10" ● 3-Function Adapter : 1/2" F x 1/2" M ● Universal Joint			



Blow Mold Box

1/2" Dr. Socket Set – 32 Pc.

Item No.			KGS
287-001	SAE, 6 & 12 Point	1	3.5
● 18 Sockets - 6 Point : 5/16", 3/8", 7/16", 15/32", 1/2", 9/16", 19/32", 5/8", 11/16", 3/4", 25/32", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4" ● 7 Sockets - 12 Point : 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4" ● 2 Spark Plug Sockets : 5/8" (16mm) & 13/16" (21mm) ● Ratchet : Round Head 10" ● 2 Extensions : 5" & 10" ● 3-Function Adapter : 1/2" F x 1/2" M ● Universal Joint			



Metal Box


1/2" Dr. Socket Set – 40 Pc.

Item No.			KGS
299-035	Metric & SAE, 12 Point	1	7.3
● 18 Sockets : 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 26, 27, 30, 32 mm ● 15 Sockets : 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4" ● Spark Plug Socket : 21mm (13/16") ● Quick Release Ratchet : Pear Head 10" ● 3 Extensions : 3" & 5" & 10" ● Flex Handle : 10" ● Universal Joint			

1/2"

Dr. Socket Set

ALL IN ONE



Blow Mold Box



1/4" & 1/2" Dr. Socket & Bit Set – 108 Pc.

Item No.		KGS
299-049	1	7.0

- 1/4" Dr. Sockets (13 PC.) :
4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 1/4" Dr. E Sockets (5 PC.) : E4, E5, E6, E7, E8
- 1/4" Dr. Deep Sockets (8 PC.) : 6, 7, 8, 9, 10, 11, 12, 13 mm
- 1/4" Dr. Bit Sockets (18 PC.) :
 - ⊕ Phillips : PH1, PH2
 - ⊖ Slotted : 4, 5.5, 6.5 mm
 - Hex : 3, 4, 5, 6 mm
 - ⊗ TORX® : T8, T10, T15, T20, T25, T27, T30
 - ⊕ POZIDRIV® : PZ1, PZ2
- 1/4" Dr. Quick Release Ratchet : 6" Pear Head
- 1/4" Dr. Spinner : 6"
- 1/4" Dr. Sliding T Bar : 4-1/2"
- 1/4" Dr. Extensions : 2" & 3"
- 1/4" Dr. Universal Joint
- 1/2" Dr. Sockets (17 PC.) :
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm
- 1/2" Dr. E Sockets (8 PC.) :
E10, E11, E12, E14, E16, E18, E20, E24
- 1/2" Dr. Deep Sockets (5 PC.) : 14, 15, 17, 19, 22 mm
- 1/2" Dr. Extensions : 5" & 10"
- 1/2" Dr. Quick Release Ratchet : 10" Pear Head
- 1/2" Dr. Spark Plug Sockets : 16mm & 21mm
- 1/2" Dr. Universal Joint
- 1/2" Dr. Bit Adapter : 1/2" Dr. x 5/16" Hex
- 3-Function Adapter : 3/8" F x 1/2" M
- Insert Bits (17 PC.) : 5/16" Hex
 - ⊕ Phillips : PH3, PH4
 - ⊖ Slotted : 8, 10, 12 mm
 - Hex : 6, 8, 10, 12, 14 mm
 - ⊗ TORX® : T40, T45, T50, T55, T60
 - ⊕ POZIDRIV® : PZ3, PZ4
- 3 Hex Wrenches : 1.5, 2.0, 2.5 mm

1/2"

Dr. Socket Set



Blow Mold Box

1/4" & 3/8" & 1/2" Dr. Socket Wrench & Bit Set – 216 Pc.

Item No.		KGS
299-100	Metric	11.5

- 1/4" Dr. Sockets 6 Pt. (13 PC.) : 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 1/4" Dr. Deep Sockets 6 Pt. (7 PC.) : 4, 5, 6, 7, 8, 9, 10 mm
- 1/4" Dr. Bit Sockets (30 PC.) :

- ⊕ Phillips : PH0, PH1, PH2
- ⊖ Slotted : 4, 5.5, 6.5, 7 mm
- Hex : 3, 4, 5, 6 mm
- ⊛ TORX® : T8, T9, T10, T15, T20, T25, T27, T30
- ⊛ TORX® Tamperproof : T8, T9, T10, T15, T20, T25, T27, T30
- ⊛ POZIDRIV® : PZ0, PZ1, PZ2

- 1/4" Dr. E-Sockets (5 PC.) : E4, E5, E6, E7, E8
- 1/4" Dr. Quick Release Ratchet : 6" Pear Head
- 1/4" Dr. Spinner : 6"
- 1/4" Dr. Sliding T Bar : 4-1/2"
- 1/4" Dr. Extensions : 2" & 4"
- Ball-Lock Socket Adapter : 1/4" Hex x 25mm L
- 1/4" Dr. Bit Adapter : 1/4" Hex
- 1/4" Dr. Universal Joint : 1-5/16"

- 3/8" Dr. Sockets 6 Pt. (10 PC.) : 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- 3/8" Dr. Deep Sockets 6 Pt. (6 PC.) : 10, 11, 12, 13, 14, 15 mm
- 3/8" Dr. Spark Plug Socket : 16 mm
- 3/8" Dr. E-Sockets (6 PC.) : E10, E11, E12, E14, E16, E18
- 3/8" Dr. Quick Release Ratchet : 8" Pear Head
- 3/8" Dr. Extension : 5"
- 3/8" Dr. Bit Adapter : 1/4" Hex
- 3/8" Dr. Universal Joint

- 1/2" Dr. Sockets 6 Pt. (14 PC.) : 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm

- 1/2" Dr. Deep Sockets 6 Pt. (5 PC.) : 16, 17, 18, 19, 22 mm
- 1/2" Dr. Spark Plug Sockets : 18 mm & 21 mm
- 1/2" Dr. E-Sockets (3 PC.) : E20, E22, E24
- 1/2" Dr. Bit Sockets (2 PC.) :

- Hex : 14 mm
- TORX® : T55

- 1/2" Quick Release Ratchet : 10" Pear Head
- 1/2" Dr. Extensions : 5" & 10"
- 1/2" Dr. Bit Adapter : 5/16" Hex
- 3-Function Adapter : 1/2" F x 1/2" M
- 1/2" Dr. Universal Joint

- Thin Combination Wrench 12 Pt. (12 PC.) : 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- Hex Wrenches (7 PC.) : 1.5, 2, 2.5, 3, 4, 5, 6 mm

- Magnetic Bit Holder : 4"
- Insert Bits (44 PC.) : (1/4" Hex x 25mm L)
 - ⊕ Phillips : PH0, PH1, PH2, PH3
 - ⊖ Slotted : 3, 4, 5, 5.5, 6, 6.5, 7, 8 mm
 - Hex : 2, 2.5, 3, 4, 5, 6, 7, 8 mm
 - ⊛ TORX® : T8, T9, T10, T15, T20, T25, T27, T30, T40, T45
 - ⊛ TORX® Tamperproof : T8, T9, T10, T15, T20, T25, T27, T30, T40, T45
 - ⊛ POZIDRIV® : PZ0, PZ1, PZ2, PZ3
- Impact Driver Bits (30 PC.) : (5/16" Hex x 36mm L)
 - ⊕ Phillips : PH2, PH3, PH4
 - ⊖ Slotted : 8, 10, 12 mm
 - Hex : 5, 6, 7, 8 (2 PCS.), 10, 12, 14 mm
 - ⊛ TORX® : T40, T45, T50, T55, T60
 - ⊛ TORX® Tamperproof : T40, T45, T50, T55, T60
 - ⊛ POZIDRIV® : PZ2, PZ3, PZ4
 - Spline : M10, M12
 - 5 Point Star : TS50

1/2"

Dr. Socket Set

3/4"
Dr. Socket Accessory

Ratchet (Round Head)

Item No.	Size			KGS
299-302	20"	43 Teeth	5	12.2


Quick Release Ratchet (Round Head)

Item No.	Size			KGS
298-907	20"	43 Teeth	4	9.6


Quick Release Ratchet (Extensible)

Item No.	Size			KGS
299-300	20" - 32" L	43 Teeth	1	3.6


Quick Release Ratchet (Pear Head)

Item No.	Size			KGS
298-909	20"	24 Teeth	4	7.6
298-908	25"	24 Teeth	4	9.2


Torque Wrench

Item No.	Size			KGS
297-961	34"	400 N-m (50-290 ft-lb)	1	2.9
297-962	43"	810 N-m (100-590 ft-lb)	1	3.3

**Blow Mold Box Packing


Torque Wrench

Item No.	Size			KGS
297-966	34"	123-555 N-m (90-400 ft-lb)	1	1.2
297-957	38"	110-550 N-m (80-400 ft-lb)	1	6.4
297-958	45"	150-750 N-m (110-550 ft-lb)	1	7.9

**Blow Mold Box Packing


Flex Handle

Item No.	Size			KGS
299-303	18"		5	9.0
299-310	20"		3	5.9
299-312	24"		2	4.6


Quick Release Flex Handle

Item No.	Size			KGS
299-370	20"		3	6.1


L Handle

Item No.	Size			KGS
299-315	18"		6	11.2
299-313	24"		6	15.0



■ Sliding T Bar

Item No.	Size		KGS
299-304	18"	4	5.6
299-305	20"	4	5.7



■ Quick Release Sliding T Bar

Item No.	Size		KGS
299-301	18"	4	5.6
299-311	20"	4	6.0



■ Extension

Item No.	Size		KGS
299-306	4"	6	2.4
299-309	6"	6	3.6
299-307	8"	4	3.2
299-308	16"	4	6.4



■ Quick Release Extension

Item No.	Size		KGS
299-356	4"	6	2.4
299-357	8"	4	2.9
299-358	16"	4	5.6



■ Adapter

Item No.	Size		KGS
299-909	3/4" F x 1/2" M	10	1.9



■ Universal Joint

Item No.	Size		KGS
299-911	4"	6	3.4

3/4"

Dr. Socket Accessory

■ 3/4" Dr. Socket – 6 Point

Item No.	Size		KGS
Metric			
299-317	17 mm	10	2.1
299-318	18 mm	10	2.1
299-319	19 mm	10	2.2
299-320	20 mm	10	2.2
299-321	21 mm	10	2.2
299-322	22 mm	10	2.1
299-323	23 mm	10	2.2
299-324	24 mm	10	2.2
299-325	25 mm	10	2.2
299-326	26 mm	10	2.2
299-327	27 mm	10	2.2
299-328	28 mm	10	2.6
299-329	29 mm	6	1.6
299-330	30 mm	6	1.7
299-331	31 mm	6	1.7
299-332	32 mm	6	1.7
299-333	33 mm	6	2.0
299-334	34 mm	6	2.0
299-335	35 mm	6	2.4
299-336	36 mm	6	2.5
299-337	37 mm	6	2.9
299-338	38 mm	6	3.0
299-339	39 mm	6	3.0
299-340	40 mm	6	3.1
299-341	41 mm	2	1.1
299-342	42 mm	2	1.1
299-343	43 mm	2	1.2
299-344	44 mm	2	1.2
299-345	45 mm	2	1.2
299-346	46 mm	2	1.4
299-347	47 mm	2	1.4
299-348	48 mm	2	1.5
299-350	50 mm	2	1.6
299-354	54 mm	2	1.8
299-355	55 mm	2	1.9
299-256	56 mm	2	2.0
299-360	60 mm	2	2.1
299-363	63 mm	1	1.2
299-365	65 mm	1	1.4


3/4"
Dr. Socket

■ 3/4" Dr. Socket – 6 Point



Item No.	Size		KGS
SAE			
299-661	3/4"	10	2.2
299-662	13/16"	10	2.2
299-663	7/8"	10	2.2
299-664	15/16"	10	2.2
299-665	1"	10	2.2
299-666	1-1/16"	10	2.2
299-667	1-1/8"	10	3.0
299-668	1-3/16"	6	1.8
299-669	1-1/4"	6	1.8
299-670	1-5/16"	6	1.9
299-671	1-3/8"	6	2.4
299-672	1-7/16"	6	2.4
299-673	1-1/2"	6	3.0
299-674	1-9/16"	6	3.0
299-675	1-5/8"	2	1.1
299-676	1-11/16"	2	1.1
299-677	1-3/4"	2	1.2
299-678	1-13/16"	2	1.4
299-679	1-7/8"	2	1.5
299-680	2"	2	1.5
299-681	2-1/4"	1	1.0
299-682	2-3/8"	1	1.1
299-683	2-1/2"	1	1.2
299-684	2-3/4"	1	1.6

3/4"

Dr. Socket

■ 3/4" Dr. Socket – 12 Point

Item No.	Size		KGS
Metric			
293-317	17 mm	10	2.2
293-319	19 mm	10	2.2
293-320	20 mm	10	2.2
293-321	21 mm	10	2.2
293-322	22 mm	10	2.2
293-323	23 mm	10	2.2
293-324	24 mm	10	2.2
293-325	25 mm	10	2.2
293-326	26 mm	10	2.2
293-327	27 mm	10	2.2
293-328	28 mm	10	2.2
293-329	29 mm	6	1.6
293-330	30 mm	6	1.7
293-331	31 mm	6	1.7
293-332	32 mm	6	1.7
293-333	33 mm	6	2.1
293-334	34 mm	6	2.1
293-335	35 mm	6	2.4
293-336	36 mm	6	2.5
293-337	37 mm	6	3.0
293-338	38 mm	6	3.0
293-340	40 mm	6	3.2
293-341	41 mm	2	1.1
293-346	46 mm	2	1.1
293-350	50 mm	2	1.5
293-355	55 mm	2	1.9

SAE

293-661	3/4"	10	2.2
293-662	13/16"	10	2.2
293-663	7/8"	10	2.2
293-664	15/16"	10	2.2
293-665	1"	10	2.2
293-666	1-1/16"	10	2.2
293-667	1-1/8"	10	3.0
293-668	1-3/16"	6	1.8
293-669	1-1/4"	6	1.8
293-670	1-5/16"	6	1.9
293-671	1-3/8"	6	2.4
293-672	1-7/16"	6	2.4
293-673	1-1/2"	6	3.0
293-674	1-9/16"	6	3.0
293-675	1-5/8"	2	1.0
293-676	1-11/16"	2	1.1
293-677	1-3/4"	2	1.2
293-678	1-13/16"	2	1.4
293-679	1-7/8"	2	1.5
293-680	2"	2	1.6
293-684	2-1/4"	1	1.1


3/4"
Dr. Socket



Blow Mold Box

■ 3/4" Dr. Socket Set – 14 Pc.

Item No.			KGS
299-012	Metric, 6 Point	1	11.6
299-014	Metric, 12 Point	1	11.6

- 10 Sockets : 22, 24, 27, 30, 32, 36, 38, 41, 46, 50 mm
- Sliding T Bar : 18"
- Quick Release Ratchet : Round Head 20"
- 2 Extensions : 4" & 8"



Blow Mold Box

■ 3/4" Dr. Socket Set – 14 Pc.

Item No.			KGS
299-073	SAE, 6 Point	1	11.6
299-075	SAE, 12 Point	1	11.6

- 10 Sockets : 7/8", 15/16", 1", 1-1/8", 1-1/4", 1-7/16", 1-1/2", 1-5/8", 1-3/4", 2"
- Sliding T Bar : 18"
- Quick Release Ratchet : Round Head 20"
- 2 Extensions : Quick Release 4" & 8"



Blow Mold Box

■ 3/4" Dr. Socket Set – 14 Pc.

Item No.			KGS
299-072	Metric, 6 Point	1	11.6
299-074	Metric, 12 Point	1	11.6

- 10 Sockets : 22, 24, 27, 30, 32, 36, 38, 41, 46, 50 mm
- Sliding T Bar : Quick Release, 18"
- Quick Release Ratchet : Round Head 20"
- 2 Extensions : Quick Release 4" & 8"



Blow Mold Box

■ 3/4" Dr. Socket Set – 21 Pc.

Item No.			KGS
299-076	Metric, 6 Point	1	16.5
299-078	Metric, 12 Point	1	16.5

- 16 Sockets : 19, 21, 22, 23, 24, 26, 27, 29, 30, 32, 35, 36, 38, 41, 46, 50 mm
- Quick Release Ratchet : Round Head 20"
- Quick Release Flex Handle : 20"
- 2 Extensions : Quick Release 8" & 16"
- Universal Joint

3/4"

Dr. Socket Set



Metal Box

■ 3/4" Dr. Socket Set – 21 Pc.

Item No.			KGS
299-086	Metric, 6 Point	1	15.0
287-004	Metric, 12 Point	1	15.0

- 16 Sockets : 17, 19, 21, 22, 23, 24, 27, 29, 30, 32, 35, 36, 38, 41, 46, 50 mm
- 3 Extensions : 4" & 8" & 16"
- Quick Release Ratchet : Round Head 20"
- Sliding T Bar : 20"



Metal Box

■ 3/4" Dr. Socket Set – 21 Pc.

Item No.			KGS
287-003	SAE, 6 Point	1	15.0
299-087	SAE, 12 Point	1	15.0

- 16 Sockets : 3/4", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16", 1-5/8", 1-3/4", 2"
- 3 Extensions : 4" & 8" & 16"
- Quick Release Ratchet : Round Head 20"
- Sliding T Bar : 20"



Metal Box

■ 3/4" Dr. Socket Set – 26 Pc.

Item No.			KGS
299-033	Metric & SAE, 12 Point	1	22.3

- 12 Sockets : 7/8", 15/16", 1", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-5/8", 1-3/4", 1-7/8", 2"
- 10 Sockets : 22, 24, 27, 30, 32, 36, 38, 41, 46, 50 mm
- Quick Release Ratchet : Pear Head 20"
- 2 Extensions : 4" & 8"
- Flex Handle : 18"

3/4"

Dr. Socket Set



■ Quick Release Ratchet (Extensible)

Item No.	Size			KGS
291-801	20" - 32" L	43 Teeth	1	3.6
291-802	28" - 40" L	43 Teeth	1	4.2



■ Ratchet Handle

Item No.	Size			KGS
291-803	26"	43 Teeth	1	4.4



■ Torque Wrench

Item No.	Size			KGS
297-970	48"	950 N-m (150-700 ft-lb)	1	7.3

**Blow Mold Box Packing



■ Flex Handle

Item No.	Size			KGS
291-805	26"		1	4.3



■ L Handle

Item No.	Size			KGS
291-811	26"		1	5.3



■ Sliding T Bar

Item No.	Size			KGS
296-379	22"		2	5.0



■ Extension

Item No.	Size			KGS
296-373	8"		2	2.9
291-807	16"		3	8.9



■ Adapter

Item No.	Size			KGS
291-812	1" F x 3/4" M		8	3.7



■ 3-Function Adapter

Item No.	Size			KGS
291-813	1" F x 1" M		6	2.4

1"

Dr. Socket Accessory

1" Dr. Socket – 6 Point


Item No.	Size		KGS
Metric			
291-836	36 mm	6	2.8
291-838	38 mm	6	3.1
291-841	41 mm	1	0.7
291-846	46 mm	1	0.8
291-850	50 mm	1	1.0
291-854	54 mm	1	1.1
291-855	55 mm	1	1.1
291-858	58 mm	1	1.1
291-860	60 mm	1	1.2
291-863	63 mm	1	1.5
291-865	65 mm	1	1.6
291-867	67 mm	1	1.8
291-870	70 mm	1	2.0
291-871	71 mm	1	2.0
291-875	75 mm	1	2.2
291-877	77 mm	1	2.3
291-880	80 mm	1	2.5

1"
Dr. Socket



■ L Handle Socket – 6 Point

Item No.	Size	Length		KGS
294-571	8 mm	6"	1	0.1
294-572	10 mm	6"	1	0.1



■ T Handle Spark Plug Socket

Item No.	Size	Length		KGS
294-576	16 mm	13-1/2"	6	2.1
294-578	21 mm	13-1/2"	6	2.5



■ T Handle Spark Plug Socket

Item No.	Size	Length		KGS
295-836	16 mm	9-1/2"	12	3.7
295-831	21 mm	9-1/2"	12	3.7




■ T Handle Magnetic Spark Plug Socket

Item No.	Size	Length		KGS
294-556	16 mm	200 x 450 mm	1	0.4
294-558	18 mm	200 x 450 mm	1	0.5
294-560	21 mm	200 x 450 mm	1	0.5



■ T Handle Swivel Socket (Long) – 6 Point

Item No.	Size	Length		KGS
294-541	8 mm	200 x 600 mm	1	0.5
294-542	10 mm	200 x 600 mm	1	0.5
294-543	12 mm	200 x 600 mm	1	0.5
294-544	14 mm	200 x 600 mm	1	0.5
294-545	17 mm	200 x 600 mm	1	0.5
294-546	19 mm	200 x 600 mm	1	0.5



■ T Handle Deep Socket – 6 Point

Item No.	Size	Length		KGS
294-561	8 mm	200 x 300 mm	1	0.3
294-562	10 mm	200 x 300 mm	1	0.3
294-563	12 mm	200 x 300 mm	1	0.3
294-567	13 mm	200 x 300 mm	1	0.3
294-564	14 mm	200 x 300 mm	1	0.3
294-565	17 mm	250 x 300 mm	1	0.3
294-566	19 mm	250 x 300 mm	1	0.3



■ T Handle Standard Socket – 6 Point

Item No.	Size	Length		KGS
294-521	8 mm	200 x 250 mm	1	0.1
294-522	10 mm	200 x 250 mm	1	0.2
294-523	12 mm	250 x 300 mm	1	0.4
294-524	14 mm	250 x 300 mm	1	0.4
294-525	17 mm	250 x 300 mm	1	0.5



■ T Handle Socket

Item No.	Size	Length		KGS
Slotted				
294-668	8 mm	180 x 250 mm	1	0.1



■ T Handle Socket

Item No.	Size	Length		KGS
Phillips				
294-653	PH3	180 x 250 mm	1	0.1



■ Automotive Wheel Wrench

Item No.		KGS
299-002	1	1.0

- 1/2" Drive L-handle With Comfortable Grip
- Extends to 500 mm To Increase Torque
- Double-end Socket, 19 & 21 mm
- Cr-V Steel
- Space Saving Design